



4. A method as set forth in claim 1, wherein said replacing step is effected at the option of a user of said web browser.

5. A method as set forth in claim 1, wherein said encoded web page representation is encoded in HTML.

6. A method as set forth in claim 1, wherein said encoded web page representation is encoded in XML.

7. A method as set forth in claim 1, wherein said reading and replacing steps are executed periodically for all stored URLs by invoking an automatic update program.

8. A computer program product for automatically updating an original URL stored in a bookmark storage area of a web browser, comprising the steps of:

inserting a redirect URL in an encoded web page representation associated with said original URL;

reading said encoded web page representation with said browser; and

replacing said original URL stored in said bookmark storage area with said redirect

URL.

9. A computer program product as set forth in claim 8, further comprising the step of:

inserting said original URL as a history URL in said bookmark storage area.

10. A computer program product as set forth in claim 9, further comprising the steps of:

5 sending an invalid URL indication to said browser when said redirect URL is invalid; and

when said invalid URL indication is received by said browser, directing said browser to the address identified by said history URL.

11. A computer program product as set forth in claim 8, wherein said replacing step is effected at the option of a user of said web browser.

12. A computer program product as set forth in claim 8, wherein said encoded web page representation is encoded in HTML.

13. A computer program product as set forth in claim 8, wherein said encoded web page representation is encoded in XML.

14. A computer program product as set forth in claim 8, wherein said reading and replacing steps are executed periodically for all stored URLs by invoking an automatic update program.

15. A system for automatically updating an original URL stored in a bookmark storage area of a web browser, comprising the steps of:

inserting a redirect URL in an encoded web page representation associated with said original URL;

reading said encoded web page representation with said browser; and

replacing said original URL stored in said bookmark storage area with said redirect URL.

16. A system as set forth in claim 15, further comprising the step of:

inserting said original URL as a history URL in said bookmark storage area.

17. A system as set forth in claim 16, further comprising the steps of:

sending an invalid URL indication to said browser when said redirect URL is invalid; and

when said invalid URL indication is received by said browser, directing said browser to the address identified by said history URL.

18. A system as set forth in claim 15, wherein said replacing step is effected at the option of a user of said web browser.

19. A system as set forth in claim 15, wherein said encoded web page representation is encoded in HTML.

20. A system as set forth in claim 15, wherein said encoded web page representation is encoded in XML.

21. A system as set forth in claim 15, wherein said reading and replacing steps are executed periodically for all stored URLs by invoking an automatic update program.